


Data sheet

Sensor-switched outdoor light

L 830 LED iHF

Anthracite

EAN 4007841055493



Function description

Digital. Interconnected. Intelligent. The L 830/835/840 LED iHF range of sensor-switched lights captivates with a classy look and embellishes any building. With concealed 160° iHF sensor (5 m reach) that only responds to human movement. Night-light function, soft light start and 4-hour manual override (3000 K). Wireless interconnection via Bluetooth, any chosen settings via STEINEL app. Three design options. Available in anthracite or silver.

Technical specifications

Dimensions (L x W x H)	110 x 110 x 131,5 mm
Mains power supply	220 – 240 V , 50 / 60 Hz
Mounting height max.	2,50 m
Sensor Technology	iHF (intelligent high-frequency technology)
Output	9,5 W
Interconnection	Yes
Type of interconnection	Master/slave
Luminous flux	502 lm
Colour temperature	3000 K
Colour Rendering Index CRI	80-89
With lamp	Yes, STEINEL LED system
Lamp	LED cannot be replaced
LED life expectancy (max. °C)	50000 h
Base	without
LED cooling system	Passive Thermo Control
With motion detector	Yes
Detection angle	160 °
Angle of aperture	160 °

Data sheet

Sensor-switched outdoor light

L 830 LED iHF

Anthracite

EAN 4007841055493

Technical specifications

Sneak-by guard	Yes
Capability of masking out individual segments	Yes
Electronic scalability	Yes
Mechanical scalability	No
Reach, detail	Detection zone adjustable on 3 axes
Reach, radial	r = 5 m (35 m ²)
Reach, tangential	r = 5 m (35 m ²)
Photo-cell controller	Yes
Twilight setting	2 – 2000 lx
Time setting	5 sec – 15 min
Basic light level function	Yes
Basic light level function time	10/30 min, all night
Basic light level function percentage, from	10 %
Basic light level function percentage, up to	50 %
Soft light start	Yes
Continuous light	selectable, 4h
Impact resistance	IK03
IP rating	IP44
Protection class	II
Ambient temperature	-20 – 40 °C
Housing material	Plastic
Cover material	Plastic, opal
Manufacturer's Warranty	3 years
With remote control	No
Version	Anthracite
PU1, EAN	4007841055493

Data sheet



Sensor-switched outdoor light

L 830 LED iHF

Anthracite

EAN 4007841055493

Mood image

